BIOPRESERVATION TOOLS FOR CELLS, TISSUES, AND ORGANS

3303 Monte Villa Parkway, Suite 310 Bothell, WA 98021 USA 425.402.1400 | 📇 425.402.1433 BioLifeSolutions.com

SAFETY DATA SHEET

Product Name: CryoStor® CS10 SDS Date: 04 November 2015

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: CryoStor® CS10
Synonyms: CryoStor, CS10

Product Codes: 210102, 210373, 210374, 210473, 210210, 210202

Manufacturer: BioLife Solutions, Inc.

Address: 3303 Monte Villa Pkwy, Suite 310, Bothell, WA 98021 USA Emergency Phone: Call local poison control center. In USA 1-800-222-1222.

Other Calls: 866.424.6543 Fax: 425.402.1433

Product Use: Ultra-low temperature (-70° to -196°C) storage of biological material (cells, tissues and organs)

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification: None

GHS Label: Pictogram: NA

Signal Word: NA
Precautionary Statements: NA

Response: If on Skin: Wash with plenty of soap and water.

If in Eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to

do. If eye irritation persists, get medical attention.

If on Clothes: Take off contaminated clothing and wash before reuse.

Storage: Protect from light during storage at 2-8°C.

Disposal: Dispose of contents/container in accordance with local/national regulations.

Hazard not otherwise classified

(HNOC) or not covered by GHS: NA

Physical Appearance: Clear liquid
Routes of Entry: Oral, Skin, Eyes
Odor: Essentially Odorless

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient: Dimethyl Sulfoxide (DMSO)

CAS NO: 67-68-5 MF: C2H6OS %Vol: 10% (v/v)

Note: For further information refer to DMSO MSDS – Gaylord Chemical (DMSO-USP/PhEur).

All other ingredients in the proportions used are considered non-hazardous by regulating bodies worldwide.

SECTION 4: FIRST AID MEASURES

Eyes: Flush with running water for >10 minutes.

Skin: Wash skin thoroughly with soap and water. Wash contaminated clothing before reuse.

Ingestion: If swallowed, give two glasses of water and induce vomiting. Never give anything to an unconscious person.

Call a physician.

Inhalation: NA

Physician/First Aid Provider Notes: CryoStor is intended for ultra-low temperature preservation of cells, tissues and organs.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media: Use any suitable media for extinguishing material supporting the fire

Special Fire Fighting Procedures: Standard measures apply
Unusual Fire & Explosion Hazards: Not a fire or explosion hazard

Flammability: Non-flammable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate PPE (see Section 8).

Spills: Standard non-hazardous chemical spill clean-up measures apply.

Disposal: Dispose of contents/container in accordance with local/national regulations.

SECTION 7: HANDLING AND STORAGE

Handling: Use good laboratory practices while handling. Avoid inhaling vapors or mist. Avoid contact with eyes, skin

or clothing. Wash thoroughly after handling.

Storage: Protect from light during storage at 2-8°C. Store in accordance with federal, state, and local regulations.

Do not consume food, drink, or tobacco in areas where they may become contaminated with this material.

Engineering Controls: NA

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: NA Ventilation: NA

Respiratory Protection: This material does not have established workplace exposure limits. Wear an appropriate NIOSH/MSHA

approved air purifying respirator or positive pressure air supplied respirator in situations where a respirator

is judged appropriate to prevent inhalation of vapors or mist.

Eye Protection: Chemical laboratory safety goggles or as recommended by internal laboratory.

Skin Protection: Latex/Non-Latex gloves or as recommended by internal laboratory.

Other Protective Clothing Wear impervious clothing such as apron, boots, jumpsuit, or whole body suit

Or Equipment: as appropriate to avoid exposure.

Work Hygienic Practices: Use good laboratory precautions and practices. Wash hands following handling of material.

Exposure Guidelines: Wash exposed area thoroughly. Refer to Section 4 First Aid Measures for details.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid Upper Flammability Limit: Unknown Odor: **Odorless** Lower Flammability Limit: Unknown Odor Threshold: NA Vapor Pressure: Unknown 7.5 to 7.7 pH: Vapor Density (Air=1): Unknown

Melting Point: 0°C Specific Gravity (Water=1): 1.07 at Room Temp.

Freezing Point: -4°C Solubility in Water: Soluble **Boiling Point:** Unknown Octanol/Water Partition Coefficient: Unknown 132°F Flash Point: Auto Ignition Temperature: Unknown **Evaporation Rate:** Unknown **Decomposition Temperature:** Unknown Flammability: NΑ Viscosity: Unknown

SECTION 10: STABILITY AND REACTIVITY

Reactivity: NA Stability: Stable

Possibility of Hazardous Reactions: No data available

Conditions to Avoid (Stability): Storage and use of product at elevated temperatures >22°C

Incompatibility (Material to Avoid): Acid chlorides, phosphorous halides, strong acids, strong oxidizing agents, strong reducing agents

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, sulfur oxides

Hazardous Polymerization: NA

SECTION 11: TOXICOLOGICAL INFORMATION

No data available

SECTION 12: ECOLOGICAL INFORMATION

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Disposal with non-hazardous materials. Observe all federal, state, and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

US Department of Transportation: Proper Shipping Name: CryoStor® Hazard Class: NA

SECTION 15: REGULATORY INFORMATION

No data available

SECTION 16: OTHER INFORMATION

Other Information: The data on this Safety Data Sheet relate only to the specific material herein and do not relate to use in

combination with any other material or process.

Preparation Information: This information is believed to be accurate and represents the best information available to date.

Disclaimer: We make no warranty or assume any liability from its use. Users should make their own investigations to

determine the suitability of the information.

SDS - CryoStor® CS10 6003-04 Page 2 of 2